line 18, delete "due" insert -- with respect --;

line 20, after "also" insert -- to --;

line 21, after "increase" insert -- the number

of --, delete "in number".

Page 2,   line 5, delete "are", after "typically" insert

-- have been --, delete "a" insert -- the --;

line 6, after "chip" insert -- being --;

line 8, delete "mount" insert -- the mounting --,

delete "with" insert -- wherein --;

line 9, after "carriers" insert -- are --;

line 11, delete "disclosed" insert -- described --;

line 13, delete "teaches" insert -- discloses --;

line 17, delete "thinner";

line 18, after "carrier" insert -- thinner --,

delete "a" insert -- the same --;

line 20, delete "the" insert -- a --;

line 21, delete the comma insert -- . The stiffener

is --;

line 23, delete "contacted" insert -- in contact --,

after "as" insert -- a --;

line 25, after "for" insert -- providing a --.

Page 3,   line 5, delete "incapability of achieving any

intended --;

line 7, delete "is" insert -- has been --;

line 8, delete "activities made", after "the"

(first occurrence) insert -- present --, delete

"named in the";

2

line 9, delete "subject application for patent",
after "which" insert -- TCP structure --;

line 11, delete "the" insert -- a --;

line 16, after "such" insert -- a --;

line 18, delete "prior art", delete "is" insert
-- has --;

line 19, delete "with", delete "which follows: The"
insert -- in that the --;

line 20, after "of" insert -- the --;

line 23, delete "the" (second occurrence);

line 24, delete "prior art" insert -- this TCP
structure --;

line 25, after "eliminating" insert -- the --.

Page 4,   line 3, delete ": The" insert -- in that the --,
delete "increases" insert -- is increased --, after
"thickness" insert -- , thereby --;

line 5, after "such" insert -- a --, delete "their
intended" insert -- a desired --;

line 8, delete "which" insert -- and --;

line 9, delete "neither" insert -- not --, after
"as" insert -- a --;

line 15, after "the" (first occurrence) insert
-- present --, delete "of the subject patent";

line 16, delete "application", before
"semiconductor" insert -- the --, delete "used
therein";

line 19, before "outer" insert -- the --;

line 20, delete "the" insert -- a --;

line 22, delete "mount" insert -- mounting --;

line 25, after "of" insert -- the --.

Page 5, line 3, after "of" insert -- various --;

line 6, after "levels" insert a comma;

line 7, after "case" insert a comma;

line 17, after "enabling" insert -- the --;

line 19, after "structure" insert -- which is --;

line 23, after "reliability" insert a comma.

Page 6, line 2, after "of" insert -- various --;

line 12, delete "less" insert -- smaller --;

line 14, delete "letting" insert -- to allow --;

line 15, after "chip" insert -- to --;

line 24, delete "a" insert -- the --.

Page 7, line 4, delete "remain" insert -- be·subjected to a --, delete "in";

line 5, delete "receival of", after "suppress" insert -- the --;

line 6, delete "of" insert -- in --;

line 18, delete "resultant";

line 21, after "suppress" insert -- the --;

line 22, delete "such" insert -- the --, delete "used --;

line 25, delete "as", delete "letting" insert -- to allow --.

Page 8, line 1, after "carrier" insert -- to --;

line 7, delete "of" (first occurrence) insert -- in the --;

line 14, after "with" insert -- the --;

4

line 15, after "resin" insert -- coating --;

line 19, after "of" insert -- the --;

line 20, after "and" insert -- the --;

line 25, after "in" insert -- the --.

Page 9,   line 2, delete "smoother";

line 3, after "chip" insert -- smoother --, after

"offer" insert -- a --;

line 10, delete "less" insert -- which is

smaller --;

lines 11, 12 and 16, delete "said";

line 18, delete "of";

line 19, after "said" insert -- laminated --,

delete "laminated --;

line 24, delete "mount" insert -- mounting --.

Page 10,   line 1, delete "the" insert -- a --;

line 2, after "increasing" insert -- the --;

line 3, after "of" insert -- the --;

line 7, after "another" insert a comma, delete

"expose" insert -- be exposed, --;

line 9, delete "inside of", after "hole" insert

a comma, delete "burying";

line 10, after "material" insert -- is buried --,

delete "letting" insert -- to allow --;

line 12, after "carrier" insert -- to --;

line 21, after "another" insert a comma;

line 22, after "exposed" insert a comma, after "to"

insert -- the --;

5

line 23, after "hole" insert a comma, delete "letting" insert -- allowing --;

line 25, after "carrier" insert -- to --.

Page 11,   line 1, after "of" insert -- the --;

line 12, delete "letting" insert -- allowing --;

line 14, after "carrier" insert -- to --;

line 16, delete "mount" insert -- mounting --;

line 22, delete "let" insert -- allow --;

line 24, after "another" insert -- to --;

line 25, delete "said".

Page 12,   line 1, delete "being" insert -- which is --;

line 3, before "tape" insert -- laminated --;

line 4, delete "laminated";

line 6, delete "said";

line 8, after "of" insert -- the --;

line 9, after "reducing" insert -- the --;

line 12, delete "mount" insert -- the mounting --;

line 14, delete "the" insert -- a --;

line 19, delete "same";

line 23, delete "is arranged to".

Page 13,   line 1, delete "letting" insert -- to allow --, after "lead" insert -- to --;

line 12, delete "let" insert -- allow --;

line 14, after "carriers" insert -- to --;

line 19, after "addition," insert -- the method of manufacture of --;

line 21, delete "by adhesive";

line 22, after "another" insert -- using an adhesive --.

Page 14, line 3, delete "make" insert -- dispose --, delete "contacted" insert -- in contact --;

line 7, delete "suffering from", after "in" (first occurrence) insert -- the number of --, delete "step number in" insert -- steps in --;

line 12, delete "contacted" insert -- disposed in contact --;

line 24, delete "less" insert -- which is smaller --.

Page 15, line 2, after "chip" insert -- which is --;

line 11, after "using" insert -- a --, delete "a" insert -- one --;

line 18, after "of" insert -- the --.

Page 17, line 25, delete "eliminated" insert -- avoided --.

Page 18, line 5, after "2" insert a comma;

line 11, delete "the".

Page 19, line 3, delete "A" insert -- The --;

line 5, after "of" (first occurrence) insert -- the --;

line 7, after "less" insert a comma;

line 12, delete "the" insert -- a --.

Page 20, line 4, after "words" insert a comma;

line 7, delete "surfaces";

line 8, delete "of" (first occurrence);

line 10, delete "risks" insert -- the risk --;

line 14, after "runner" insert a comma, after
"indicates" insert -- a --;

line 24, after "1c;" insert -- and, the --.

Page 21, line 6, delete "the";

line 12, delete "incapability of" insert

-- inability to perform --;

line 14, delete "used";

line 17, after "between" insert -- the --;

line 21, delete "its".

Page 22, line 1, delete "inside of";

line 10, after "by" insert -- means of an --;

line 24, delete "contacted" insert -- in

contact --.

Page 23, line 6, after "including" insert -- a --;

line 7, delete "laid" insert -- located --;

line 8, delete "mount" insert -- mounting --;

line 10, after "of" insert -- a --;

line 11, after "such" insert -- a --;

lines 15 and 25, after "embodiment" insert a comma;

line 25, delete "less" insert -- smaller --.

Page 24, line 1, delete the colon insert a period;

line 8, delete "at" insert -- to --;

line 17, after "are" insert -- used --;

line 22, delete "its" insert -- an --.

Page 25, line 3, delete "in a way which" insert -- as --,

delete the colon insert a period;

line 10, after "to" insert -- the --, after "of"

insert -- the --;

line 12, after "after" insert -- the --;

line 19, after "of" insert -- the --, delete "a"

insert -- the --;

line 21, delete "a" insert -- the --;

line 22, after "words" insert a comma;

line 25, after "when" insert -- an --.

Page 26,   line 6, delete "risks" insert -- the risk --;

line 7, delete "when" insert -- during --;

line 11, delete "the" (first occurrence) insert

-- a --;

line 17, delete "the" (first occurrence) insert

-- a plane --, delete "plane", after "the" (second

occurrence) insert -- principle surface of the --;

line 18, delete "'s principal surface".

Page 27,   line 8, after "mold" insert -- or other --, delete

"or else";

line 12, delete "below";

line 13, delete "form", after "1a1" insert -- is

formed --;

line 16, delete "adhere", after "example," insert

-- is adhered --;

line 25, delete "fabricate on" insert -- a solder

resist 1d is fabricated on one surface of --.

Page 28,   line 1, delete "'s one surface a solder resist 1d";

line 2, delete "letting" insert -- allowing --;

line 3, delete "use";

line 4, after "1d" insert -- is used --;

line 9, after "of" insert -- the --;

9

line 14, delete "semiconductor chip 2's";

line 15, after "1c" insert -- of the semiconductor

chip 2 --, after "2a" insert -- are bonded --;

line 18, delete "let";

line 19, delete "be received" insert -- is

placed --;

line 20, before "then," insert -- and --, delete

"inject";

line 22, after "5" insert -- is injected --;

line 25, delete "tape base 1a's", after "1a1" insert

-- of the tape base 1a --.

Page 29,   line 12, delete "take", after "TCP" insert -- is

taken --;

line 24, after "embodiment" insert a comma, after

"and" insert -- the --.

Page 30,   line 1, delete "seal";

line 2, delete "resin 3's", after "surfaces" insert

-- of the seal resin 3 --;

line 7, before "then," insert -- and --;

line 8, delete "let";

line 9, after "alloy" insert -- are allowed to --;

line 12, delete "several" insert -- the

following --;

line 13, delete "which follow";

line 14, delete "Letting" insert -- Allowing --,

delete "coating" insert -- to coat --;

line 21, after "the" insert -- stress neutral plane

of the --, delete "2's stress";

10

line 22, delete "neutral plane";

line 24, after "minimal" insert a comma.

Page 31,   line 3, after "of" insert -- an --, after "force"

insert a comma, delete "warp" insert -- warping --;

line 5, delete "risks" insert -- the risk --;

lines 7 and 23, delete "when" insert -- during --;

line 18, after "at" insert -- a --;

line 21, after "and" insert -- at --.

Page 32,   line 7, after "enables" insert -- the --, after

"offer" insert -- an --;

line 11, after "of" (second occurrence) insert

-- the --;

line 12, delete "let" insert -- allow --;

line 13, after "TCP" insert -- to --, after "be"

insert -- equal to --;

line 21, after "as" insert -- that of --, delete

"said" insert -- first --.

Page 33,   line 2, after "thickness" insert -- direction --,

delete "a" insert -- the --;

line 9, delete "semiconductor chip 2's", after

"A1" insert -- of the semiconductor chip 2 --;

line 12, delete "or";

line 14, delete "resulted" insert -- resulting --;

line 16, after "including" insert a comma, after

"to" insert a comma;

lines 17 and 18, after "of" insert -- the --.

Page 34,   lines 8 and 10, delete "contacted" insert -- in

contact --;

line 10, after "via" insert -- an --;

line 16, delete "little" insert -- slightly --;

line 24, delete "lead 1c's bend", after "amount"

insert -- of bend of the lead 1c --;

line 25, delete "semiconductor chip 2's", after

"A1" insert -- of the semiconductor chip 2 --.

Page 35,   line 3, delete "else" insert -- otherwise --;

line 15, after "in" insert -- the fact --;

line 18, delete "contacted" insert -- in contact --;

line 25, after "1a" insert -- so as --.

Page 36,   line 1, delete "said" insert -- the --;

line 9, after "in" insert -- a --;

line 14, delete "of", after "and" insert -- the --;

line 15, delete "letting" insert -- allowing --;

line 16, before "be" insert -- to --;

line 18, delete "its" insert -- a --;

line 19, after "of" (second occurrence) insert

-- the --.

Page 37,   line 13, delete "a" insert -- the --;

line 16, after "embodiment" insert a comma;

line 20, delete "each TCP's same" insert -- the

corresponding --;

line 21, after "1c" insert -- of each TCP --;

line 22, after "6" insert a comma;

line 23, after "of" (both occurrences) insert

-- the --.

Page 38,   line 10, after "6" insert -- mentioned --;

line 19, delete "of it" insert -- thereof --;

line 22, after "facilitate" insert -- an arrangement such --;

line 23, after "into" insert -- the --.

Page 39,   line 1, after "of" insert -- a --;

line 5, after "structure" insert a comma;

line 12, delete "in" insert -- a --, delete "a";

line 18, delete "form";

line 19, after "techniques" insert a comma;

line 20, after "6a" insert -- are formed --;

line 22, delete "bond", after "example" insert -- is bonded --;

line 23, delete "the" (second occurrence);

line 24, after "thereto;" insert -- and --, delete "pattern";

line 25, after "film" insert -- is patterned --.

Page 40,   line 3, delete "less" insert -- smaller --;

line 5, delete "provide";

line 7, after "resin" insert -- is provided --, before "thin," insert -- and --;

line 8, delete "remove", after "1e" insert -- is removed --;

line 11, delete "use", after "1e" insert -- is used --;

line 15, delete "place", after "2" insert -- is placed --;

line 17, delete "perform", after "alignment" insert -- is performed --, delete "semiconductor";

line 18, delete "chip 2's", after "1c" insert

-- of the semiconductor chip 2 --;

line 19, delete "contact", after "2a" insert

-- are brought into contact --;

line 22, delete "place";

line 23, after "2" insert -- is placed --;

line 24, before "then," insert -- and --, delete

"inject".

Page 41,   line 1, before "into" insert -- is injected --,

delete "as";

line 2, delete "tape base 1a's", after "1a1" insert

-- of tape base 1a --;

line 13, delete "or else";

line 14, delete "take", delete "out of" insert

-- is removed from --;

line 19, after "between" insert -- a --;

line 21, delete "away".

Page 42,   line 4, delete "seal";

line 5, delete "resin 3's", after "surfaces"

insert -- of the seal resin 3 --;

line 10, before "then," insert -- and --;

line 11, delete "laminate", after "21" insert a

comma;

line 13, after "supra" insert -- are laminated --;

line 14, delete "letting" insert -- arranging --,

after "6a" insert -- to --;

line 20, delete "use";

line 21, after "TCPs" insert -- is used --, delete
"contact" insert -- join --;

line 24, delete "To make long story" insert
-- In --.

Page 43,   line 5, delete "fill" insert -- the --, after
"of" (second occurrence) insert -- the --;

line 6, after "TCP" insert -- is filled --;

line 7, after "materials;" insert -- and, --;

line 13, delete "let";

line 14, after "example" insert -- are brought
into --, after "contact" insert -- with --;

line 16, delete "manufacturing" insert
-- completing --;

line 17, delete "insert -- a --;

line 18, delete "of" insert -- according to --.

Page 44,   line 7, after "increasing" insert -- the --;

line 13, delete "of it";

line 15, delete "below";

line 16, after "manufacture" insert -- of --;

line 17, after "TCP" insert -- is effected --;

line 18, delete "as defined to" insert -- which --;

line 21, delete "use";

line 25, delete "laminate".

Page 45,   line 1, after "TCPs" insert -- are laminated --;

line 3, delete "temporarily secure";

line 4, after "TCPs" insert -- are temporarily
secured --;

line 5, delete "such" insert -- the --;

15

line 13, delete "solder paste 6b1";

line 15, after "TCPs" insert -- to --;

line 20, delete "let";

line 21, delete "or else be in" insert -- are

brought into --;

line 25, delete "the" (first occurrence) insert

-- a --, delete "of" insert -- according to --.

Page 46, line 7, delete "a" insert -- the --;

line 9, after "as" insert -- shown in --, after

"in" insert -- the --;

line 10, delete "said" insert -- the --;

line 11, after "embodiment" insert -- , the seal

resin 3 of --, delete "TCP's" insert -- TCP --;

line 12, delete "seal resin 3";

line 16, delete "stated" insert -- mentioned --;

line 18, delete "layer's" insert -- layer of --;

line 23, after "embodiment" insert -- as

described --.

Page 47, line 8, delete "of" insert -- for the --, delete

"in" insert -- of --;

line 9, delete "is" insert -- are --;

line 10, after "explained" insert -- above --;

line 11, before "any" insert -- and --;

line 15, after "2" insert -- is placed --, after

"1a;" insert -- and --;

line 19, delete "letting" insert -- to cause --,

after "2a" insert -- to --;

line 22, delete "use";

line 23, after "1e" insert -- is used --;

line 24, after "by" insert -- a --;

line 25, delete "methods" insert -- method --.

Page 48,   line 4, delete "extending" insert -- to extend --,

delete "the" insert -- a --;

line 9, after "1c1" insert -- to --;

line 10, delete "place";

line 11, after "1" insert -- are placed --;

line 12, delete "is of the" insert -- has a --;

line 14, after "1" insert -- being --;

line 15, delete "inject";

line 16, after "to" insert -- the --;

line 17, before "into" insert -- is injected --,

delete "as", after "the" insert -- device hole

1a1 of the --;

line 18, delete "1a's device hole 1a1" insert

-- 1a --.

Page 49,   line 1, after "5" insert -- to --;

line 2, after "of" insert -- the --;

line 4, delete "the" (first occurrence) insert

-- a --;

line 6, delete "or";

line 7, delete "else";

line 8, after "words" insert a comma;

line 10, delete "the" insert -- a --;

line 13, delete "unload" insert -- the resulting

TCP is removed --, delete "the resulting";

line 14, delete "TCP";

line 21, delete "away";

17

line 23, after "way" insert a comma;

line 24, delete "by" insert -- using --;

line 25, delete "a" insert -- one --.

Page 50,   line 1, delete "of";

line 4, delete "in" insert -- with the --;

line 5, delete "with" insert -- of --;

line 9, before "then," insert -- and --, delete "fill";

line 10, after "TCP" insert -- are filled --;

line 13, delete "apply", after "processing" insert -- is applied --;

line 16, before "then," insert -- and --, delete "let";

line 17, delete "be contacted" insert -- are placed in contact --;

line 21, delete "the" (first occurrence) insert -- a --, delete "of" insert -- according to --;

line 23, delete "above".

Page 51,   line 4, delete "each for use" insert -- used --;

line 5, before "it" insert -- and so --;

lin 12, after "reduction" insert -- in the number --;

line 13, delete "in number";

line 15, delete "another," insert -- an --;

line 19, delete "a" insert -- the --;

line 22, delete "the" (first occurrence);

line 25, delete "said" insert -- the --, delete "stated" insert -- described --.

Page 52, line 1, delete "supra" insert -- above --;

line 5, delete the colon insert --. In this

regard, --;

line 9, delete "shows" insert -- indicates --,

delete "is" insert -- denotes --;

line 10, delete " "WE," insert -- "WE" denotes --;

line 11, delete " "OE," " insert -- "OE" denotes --,

after "signal;" insert -- and --, before "an"

insert -- denotes --;

line 13, delete "shown" insert -- described --;

line 19, before "certain" insert -- a --, delete

"such" insert -- the --;

line 22, after "words" insert a comma;

line 23, delete "select" insert -- selection --.

Page 53, line 2, delete "one" insert -- electrode --,

after "2a," insert -- and --;

line 4, after "embodiment," insert -- the --;

line 14, delete "of" insert -- the --;

line 17, delete "as taken" insert -- required --;

line 18, after "reducing" insert -- the --;

line 20, after "on" insert -- the --;

line 24, after "of" insert -- the --.

Page 54, line 4, delete "letting" insert -- allowing --,

after "1c" insert -- to --;

line 5, delete "contacted" insert -- in contact --;

line 22, delete "another," insert -- a --.

Page 55, line 2, delete "the" insert -- a --;

line 4, delete "used";

19

line 6, delete "another," insert -- a --;

line 11, delete "the" insert -- a --;

line 13, delete "used";

line 15, delete "another," insert -- an --;

line 23, after "6c" insert -- is --, delete

"connects" insert -- connected --;

line 25, delete "of" (first occurrence) insert

-- on --.

Page 56,   line 1, delete "its";

line 2, delete "Summarizedly" insert -- In

summary --;

lines 4 and 8, delete "mount" insert -- mounting --;

line 7, delete "letting" insert -- allowing

the --;

line 13, delete "Letting" insert -- Allowing --,

after "terminals" insert -- to --;

line 22, delete "another," insert -- a --;

line 25, delete "these are projected" insert

-- they project --.

Page 57,   line 1, after "of" insert -- the --;

line 5, delete "mount" insert -- mounting --;

line 7, after "exhibit" insert -- a --;

line 12, delete "mount";

line 19, delete "laminate and bond";

line 20, delete "together", after "TCPs" insert

-- are laminated and bonded together --;

line 23, delete "procedures", delete "straightly"

insert -- straight --;

20

line 25, delete "press from the upward direction".

Page 58, line 1, delete "against", delete "straightly" insert -- straight --, after "from" insert -- the --;

line 3, after "TCP" insert -- are pressed from the upward direction --;

line 4, delete "a" insert -- one --, delete "the" insert -- a --;

line 5, delete "such leads 1c's" insert -- the --, after "ends" insert -- of the leads 1c --;

line 7, delete "cut away";

line 8, after "process" insert -- are cut away --, delete "letting" insert -- causing --;

line 9, after "1c" insert -- to --;

line 18, delete "costs" insert -- cost --;

line 25, delete "another," insert -- a --.

Page 59, line 16, delete "in" insert -- to effect --;

line 17, delete "flowing" insert -- allowing --;

line 18, after "resin" insert -- to flow --;

line 19, after "to" insert -- the --;

line 20, after "words" insert a comma;

line 23, delete "that" insert -- for --, delete "contains" insert -- to contain --;

line 25, after "suppress" insert -- the --.

Page 60, line 6, after "that" insert -- the --;

line 12, delete "lead 1c's";

line 13, after "1c1" insert -- of the lead 1c --;

line 23, delete "residence of".

Page 61, line 9, after "thereof" insert --; however --;

21